

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

NOS
neurogenesis




10018201.040202

Fig 1

CELL PROLIFERATION in SVZ DETA NONOate STUDY (Non-Ischemia)


(Fig 2 a)



10018201 040200


(Fig 2 b)

CELL PROLIFERATION in SVZ DETA NONOate STUDY (Non-Ischemia)



CELL PROLIFERATION in Dentate Gyrus DETA NONOate STUDY (Non-Ischemia)

(Fig 3)



CELL PROLIFERATION in Dentate Gyrus

14 DAYS


(Fig 4a)

contr one two seven

* $p < 0.05$

** $p < 0.01$

(vs Saline)



CELL PROLIFERATION in Dentate Gyrus 42 DAYS

(Fig 4b)

contr one two seven






Fig 5




CELL PROLIFERATION in SVZ DETA NONOate STUDY (14d)

(Fig 6a)




CELL PROLIFERATION in SVZ DETA NONOate STUDY (42d)




10018201.040203

CELL PROLIFERATION in OB DETA NONOate STUDY (14d)




CELL PROLIFERATION in OB DETA NONOate STUDY (42d)




CELL PROLIFERATION in Dentate Gyrus DETA NONOate STUDY (14d)

(Fig 8a)




CELL PROLIFERATION in Dentate Gyrus DETA NONOate STUDY (42d)




LESION VOLUME DETA NONOate STUDY

(Fig. 9)



10018201 040202

Adhesive Removal Test



Rotarod Test





Fig 11


NSS Test



(Fig. 3)

Fig 12

Weight %



F. 5 13

Rotarod Test




Fig. 14

Rotarod Test





Fig 15

Footfault Test



(Fig. 7)

Fig 12

Adhesive Removal Test




Fig 17